

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4050341	BIT HQ 01ABR OS 3.830 C6 TW 8@375	01ABR	OS (3.83)	6mm	TW	8@375
4051138	BIT HQ 01ABR OS 3.895 C6 FD 6@320	01ABR	OS (3.895)	6mm	FD	6@320
4051224	BIT HQ 01ABR OS 3.895 C6 TW DD 4@250	01ABR	OS (3.895)	6mm	TW / DD	4@250
4053478	BIT HQ 01ABR R C6 8@250	01ABR	R	6mm		8@250
4050891	BIT HQ 01ABR S C6 8@250	01ABR	S	6mm		8@250
4050913	BIT HQ 01 S C6 8@250	1	S	6mm		8@250
4051643	BIT HQ 01 S C6 TW 12@250	1	S	9mm	TW	12@250
4051371	BIT HQ 02 OS 3.895 C6 6@625	2	OS (3.895)	6mm		6@625
4050817	BIT HQ 02 OS 3.895 C6 DD 8@250	2	OS (3.895)	6mm	DD	8@250
4054034	BIT HQ 02 OS 3.895 C25 STG3	2	OS (3.895)	25mm		Staged
4050098	BIT HQ 02 R C6 8@250	2	R	6mm		8@250
4053935	BIT HQ 02 -R C25 STG3	2	-R	25mm		Staged
4050351	BIT HQ 02 S C6 8@187	2	S	6mm		8@187
4051812	BIT HQ 02 S C6 FD 12@125	2	S	6mm	FD	12@125*
4051597	BIT HQ 02 S C9 12@125	2	S	9mm		12@125
4052651	BIT HQ 02 S C9 8@250	2	S	9mm		8@250
4051706	BIT HQ 02 S C9 8@313	2	S	9mm		8@313
4053100	BIT HQ 02 S C9 FD 8@250	2	S	9mm	FD	8@250
4052001	BIT HQ 02 S C9 TW 12@375	2	S	9mm	TW	12@375
4054016	BIT HQ 04 OS 3.830 C25 STG3	4	OS (3.83)	25mm		Staged
4050311	BIT HQ 04 R C6 10@125	4	R	6mm		10@125
4053657	BIT HQ 04 R C9 9@250	4	R	9mm		9@250
4051322	BIT HQ 04 S C6 8@250	4	S	6mm		8@250
4053695	BIT HQ 06ABR OS 3.830 C12 8@375	06ABR	OS (3.83)	12mm		8@375
4053269	BIT HQ 06ABR OS 3.895 C12 8@187	06ABR	OS (3.895)	12mm		8@187
4051699	BIT HQ 06ABR OS 3.895 C12 6@375	06ABR	OS (3.895)	12mm		6@375
4051961	BIT HQ 06ABR OS 3.895 C12 TW 6@375	06ABR	OS (3.895)	12mm	TW	6@375
4053824	BIT HQ 06ABR OS 3.895 C25 STG3	06ABR	OS (3.895)	25mm		Staged
4053310	BIT HQ 06ABR OS 3.980 C9 TW 8@313	06ABR	OS (3.98)	9mm	TW	8@313
4053919	BIT HQ 06ABR R C12 8@187	06ABR	R	12mm		8@187
4053866	BIT HQ 06ABR -R C25 STG3	06ABR	-R	25mm		Staged

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4052400	BIT HQ 06ABR S C12 8@187	06ABR	S	12mm		8@187
4052654	BIT HQ 06ABR S C12 8@250	06ABR	S	12mm		8@250
4050256	BIT HQ 06 OS 3.830 C9 8@187	6	OS (3.83)	9mm		8@187
4053776	BIT HQ 06 OS 3.839 C9 12@125	6	OS (3.839)	9mm		12@125
4050194	BIT HQ 06 OS 3.895 C9 8@187	6	OS (3.895)	9mm		8@187
4052753	BIT HQ 06 OS 3.895 C9 8@250	6	OS (3.895)	9mm		8@250
4050816	BIT HQ 06 OS 3.895 C9 DD 8@187	6	OS (3.895)	9mm	DD	8@187
4050192	BIT HQ 06 OS 3.895 C9 EX 8@187	6	OS (3.895)	9mm	EX	8@187
4052736	BIT HQ 06 OS 3.895 C9 FD 6@320	6	OS (3.895)	9mm	FD	6@320
4054182	BIT HQ 06 OS 3.895 C25 STG3	6	OS (3.895)	25mm		Staged
4053528	BIT HQ 06 OS 3.976 C9 8@187	6	OS (3.976)	9mm		8@187
4050138	BIT HQ 06 R C9 8@187	6	R	9mm		8@187
4052751	BIT HQ 06 R C9 8@250	6	R	9mm		8@250
4050168	BIT HQ 06 R C9 EX 8@187	6	R	9mm	EX	8@187
4052740	BIT HQ 06 R C9 FD 6@320	6	R	9mm	FD	6@320
4053658	BIT HQ 06 R C12 9@250	6	R	12mm		9@250
4053917	BIT HQ 06 -R C25 STG3	6	-R	25mm		Staged
4052811	BIT HQ 06 S C9 12@125	6	S	9mm		12@125
4053902	BIT HQ 06 S C9 EX 9@155	6	S	9mm	EX	9@155
4052516	BIT HQ 06 S C9 FD 9@187	6	S	9mm	FD	9@187
4052809	BIT HQ 06 S C12 8@187	6	S	12mm		8@187
4052858	BIT HQ 06 S C12 9@187	6	S	12mm		9@187
4053107	BIT HQ 06 S C12 10@187	6	S	12mm		10@187
4053041	BIT HQ 06 S C12 8@250	6	S	12mm		8@250
4053698	BIT HQ 07ABR OS 3.830 C12	07ABR	OS (3.83)	12mm		8@375
4053903	BIT HQ 07ABR OS 3.830 C25 STG3	07ABR	OS (3.83)	25mm		Staged
4050940	BIT HQ 07ABR OS 3.895 C9 DD 8@187	07ABR	OS (3.895)	9mm	DD	8@187
4054133	BIT HQ 07ABR R C9 8@187	07ABR	R	9mm		8@187
4053864	BIT HQ STG3 07ABR -R C25 STG	07ABR	-R	25mm		Staged
4050892	BIT HQ 07ABR S 8@187	07ABR	S	9mm		8@187
4052882	BIT HQ 07ABR S C12 9@187	07ABR	S	12mm		9@187

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4053961	BIT HQ 07ABR S C12 8@250	07ABR	S	12mm		8@250
4052725	BIT HQ 07 OS 3.830 C9 6@320	7	OS (3.83)	9mm		6@320
4052745	BIT HQ 07 OS 3.895 C9 8@187	7	OS (3.895)	9mm		8@187
4053931	BIT HQ 07 OS 3.895 C25 STG3	7	OS (3.895)	25mm		Staged
4053888	BIT HQ 07 OS 3.976 C9 8@187	7	OS (3.976)	9mm		8@187
4053468	BIT HQ 07 R C12 EX 8@187	7	R	12mm	EX	8@187
4053312	BIT HQ 07 R C9 FD 8@250	7	R	9mm	FD	8@250
4053936	BIT HQ 07 -R C25 STG3	7	-R	25mm		Staged
4052307	BIT HQ 07 S C9 12@125	7	S	9mm		12@125
4053737	BIT HQ 07 S C9 FD 8@250	7	S	9mm	FD	8@250
4052837	BIT HQ 07 S C9 FD TW 8@250	7	S	9mm	TW/FD	8@250
4052916	BIT HQ 07 S C9 WD 9@155	7	S	9mm	WD	9@155
4052399	BIT HQ 07 S C12 8@187	7	S	12mm		8@187
4053583	BIT HQ 07 S C12 8@250	7	S	12mm		8@250
4052944	BIT HQ 07 S C12 8@313	7	S	12mm		8@313
4052792	BIT HQ 07 S C12 EX 12@094	7	S	12mm	EX	12@094
4053112	BIT HQ 07 S C12 EX TW 10@250	7	S	12mm	EX/TW	10@250
4053823	BIT HQ 07COM -R C25 STG3	07COM	-R	25mm		Staged
4051411	BIT HQ 07COM S C9 9@187	07COM	S	9mm		9@187
4052372	BIT HQ 07COM S C12 EX 12@094	07COM	S	12mm	EX	12@094
4052724	BIT HQ 08ABR OS 3.830 C9 6@320	08ABR	OS (3.83)	9mm		6@320
4052729	BIT HQ 08ABR OS 3.895 C9 DD 8@250	08ABR	OS (3.895)	9mm	DD	8@250
4053311	BIT HQ 08ABR OS 3.980 C9 TW 8@313	08ABR	OS (3.98)	9mm	TW	8@313
4053865	BIT HQ STG3 08ABR -R C25 STG3	08ABR	-R	25mm		Staged
4051551	BIT HQ 08ABR S C9 9@187	08ABR	S	9mm		9@187
4052653	BIT HQ 08ABR S C12 8@250	08ABR	S	12mm		8@250
4053162	BIT HQ 08ABR S C12 EX 9@155	08ABR	S	12mm	EX	9@155
4053491	BIT HQ 08 OS 3.830 8@187	8	OS (3.83)	9mm		8@187
4050788	BIT HQ 08 TW OS 3.830 6@375	8	OS (3.83)	9mm	TW	6@375
4053479	BIT HQ 08 OS 3.830 C12 8@250	8	OS (3.83)	12mm		8@250
4052708	BIT HQ 08 OS 3.830 C12 TW 6@375	8	OS(3.83)	12mm	TW	6@375

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4053948	BIT HQ 08 OS 3.830 C25 STG3	8	OS (3.83)	25mm		Staged
4053070	BIT HQ 08 OS 3.839 C9 12@125	8	OS (3.839)	9mm		12@125
4050190	BIT HQ 08 OS 3.895 C9 8@187	8	OS (3.895)	9mm		8@187
4052752	BIT HQ 08 OS 3.895 C9 8@250	8	OS (3.895)	9mm		8@250
4050815	BIT HQ 08 OS 3.895 C9 DD 8@187	8	OS (3.895)	9mm	DD	8@187
4050020	BIT HQ 08 OS 3.895 C9 TW 6@375	8	OS (3.895)	9mm	TW	6@375
4053901	BIT HQ 08 OS 3.895 C25 STG3	8	OS (3.895)	25mm		Staged
4053500	BIT HQ 08 OS 3.967 C9 8@187	8	OS (3.967)	9mm		8@187
4051227	BIT HQ 08 R C9 8@250	8	R	9mm		8@250
4050292	BIT HQ 08 R C9 EX 12@100	8	R	9mm	EX	12@100
4054032	BIT HQ 08 R C12 8@187	8	R	12mm		8@187
4053469	BIT HQ 08 R C12 EX 8@187	8	R	12mm	EX	8@187
4053937	BIT HQ 08 -R C25 STG3	8	-R	25mm		Staged
4051561	BIT HQ 08 S C9 12@125	8	S	9mm		12@125
4050185	BIT HQ 08 S C9 8@187	8	S	9mm		8@187
4053261	BIT HQ 08 S C9 FD 9@187	8	S	9mm	FD	9@187
4053279	BIT HQ 08 S C9 FD 8@250	8	S	9mm	FD	8@250
4053651	BIT HQ 08 WD S 9@155	8	S	9mm	WD	9@155
4051955	BIT HQ 08 S C12 9@155	8	S	12mm		9@155
4052969	BIT HQ 08 S C12 8@250	8	S	12mm		8@250
4053022	BIT HQ 08 S C12 9@187	8	S	12mm		9@187
4050733	BIT HQ 08COM OS 3.895 C9 DD 8@187	08COM	OS (3.895)	9mm	DD	8@187
4050108	BIT HQ 08COM R C9 8@187	08COM	R	9mm		8@187
4053911	BIT HQ 08COM -R C25 STG3	08COM	-R	25mm		Staged
4052535	BIT HQ 08COM S C12 8@187	08COM	S	12mm		8@187
4053240	BIT HQ 09 OS 3.839 C9 12@125	9	OS (3.839)	9mm		12@125
4052769	BIT HQ 09 OS 3.895 C9 DD 8@187	9	OS (3.895)	9mm	DD	8@187
4053513	BIT HQ 09 OS 3.980 C9 8@187	9	OS (3.98)	9mm		8@187
4053724	BIT HQ 09 OS 3.980 C9 TW 8@313	9	OS (3.98)	9mm	TW	8@313
4053283	BIT HQ 09 R C9 8@187	9	R	9mm		8@187
4053470	BIT HQ 09 R C12 EX 8@187	9	R	12mm	EX	8@187

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4053898	BIT HQ 09 -R C25 STG3	9	-R	25mm		Staged
4053060	BIT HQ 09 S C9 12@125	9	S	9mm		12@125
4051951	BIT HQ 09 S C12 9@155	9	S	12mm		9@155
4051926	BIT HQ 09 S C12 8@250	9	S	12mm		8@250
4053023	BIT HQ 09 S C12 9@187	9	S	12mm		9@187
4052716	BIT HQ 09 S C12 EX 12@094	9	S	12mm	EX	12@094
4053113	BIT HQ 09 S C12 EX TW 10@250	9	S	12mm	EX/TW	10@250
4052829	BIT HQ 09COM R C12 12@125	09COM	R	12mm		12@125
4053679	BIT HQ 09COM R C12 TW 6@375	09COM	R	12mm	TW	6@375
4053895	BIT HQ 09COM -R C25 STG3	09COM	-R	25mm		Staged
4052322	BIT HQ 09COM S C12 12@125	09COM	S	12mm		12@125
4053299	BIT HQ 09COM S C12 8@187	09COM	S	12mm		8@187
4052041	BIT HQ 09COM S C12 12@187	09COM	S	12mm		12@187
4053976	BIT HQ 09COM S C12 8@250	09COM	S	12mm		8@250
4052994	BIT HQ 09COM S C12 EX 12@094	09COM	S	12mm	EX	12@094
4050371	BIT HQ 10 OS 3.895 C9 8@187	10	OS (3.895)	9mm		8@187
4050818	BIT HQ 10 OS 3.895 C9 DD 8@187	10	OS (3.895)	9mm	DD	8@187
4053725	BIT HQ 10 OS 3.980 C9 TW 8@313	10	OS (3.98)	9mm	TW	8@313
4050109	BIT HQ 10 R C9 8@187	10	R	9mm		8@187
4050531	BIT HQ 10 R C9 EX 8@187	10	R	9mm	EX	8@187
4053938	BIT HQ 10 -R C25 STG3	10	-R	25mm		Staged
4052211	BIT HQ 10 S C9 9@187	10	S	9mm		9@187
4051168	BIT HQ 10 S C9 EX 12@094	10	S	9mm	EX	12@094
4052652	BIT HQ 10 S C12 8@250	10	S	12mm		8@250
4053200	BIT HQ 10 S C12 EX 9@155	10	S	12mm	EX	9@155
4051360	BIT HQ 10COM OS 3.895 C12 DD 6@320	10COM	OS (3.895)	12mm	DD	6@320
4053680	BIT HQ 10COM R C12 TW 6@375	10COM	R	12mm	TW	6@375
4053896	BIT HQ 10COM -R C25 STG3	10COM	-R	25mm		Staged
4052103	BIT HQ 10COM S C9 8@250	10COM	S	9mm		8@250
4052038	BIT HQ 10COM S C12 12@187	10COM	S	12mm		12@187
4052321	BIT HQ 10COM S C12 12@125	10COM	S	12mm		12@125
4053152	BIT HQ 10COM S C12 EX 12@094	10COM	S	12mm	EX	12@094

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4053352	BIT HQ3 01ABR S C6 8@250	01ABR	S	6mm		8@250
4051980	BIT HQ3 01 S C68@250	1	S	6mm		8@250
4053780	BIT HQ3 02 OS 3.830 C6 8@187	2	OS (3.83)	6mm		8@187
4051194	BIT HQ3 02 OS 3.895 C6 DD 8@187	2	OS (3.895)	6mm	DD	8@187
4050171	BIT HQ3 02 R C6 8@250	2	R	6mm		8@250
4051867	BIT HQ3 02 R C6 TW 6@375	2	R	6mm	TW	6@375
4053999	BIT HQ3 02 -R C25 STG3	2	-R	25mm		Staged
4051937	BIT HQ3 02 S C6 12@125	2	S	6mm		12@125
4050867	BIT HQ3 02 S C6 8@250	2	S	6mm		8@250
4051837	BIT HQ3 02 S C6 12@250	2	S	6mm		12@250
4052207	BIT HQ3 02 S C9 9@187	2	S	9mm		9@187
4053753	BIT HQ3 02 S C9 FD 8@250	2	S	9mm	FD	8@250
4050212	BIT HQ3 04 R C6 8@250	4	R	6mm		8@250
4054056	BIT HQ3 04 -R C25 STG3	4	-R	25mm		Staged
4051931	BIT HQ3 04 S C6 FD 12@125	4	S	6mm	FD	12@125
4050289	BIT HQ3 06ABR TW OS 3.895 6@370	06ABR	OS (3.895)	9mm	TW	6@370
4051983	BIT HQ3 06ABR EC OS 3.895 8@250	06ABR	OS (3.895)	12mm		8@250
4054043	BIT HQ3 06ABR OS 3.895 C25 STG3	06ABR	OS (3.895)	25mm		Staged
4051617	BIT HQ3 06ABR R C9 8@187	06ABR	R	9mm		8@187
4053701	BIT HQ3 06ABR R C9 TW 6@375	06ABR	R	9mm	TW	6@375
4053952	BIT HQ3 06ABR -R C25 STG3	06ABR	-R	25mm		Staged
4053242	BIT HQ3 06ABR S C12 9@187	06ABR	S	12mm		9@187
4053962	BIT HQ3 06ABR S C12 8@250	06ABR	S	12mm		8@250
4053781	BIT HQ3 06 OS 3.830 C9 8@187	6	OS (3.83)	9mm		8@187
4050753	BIT HQ3 06 OS 3.830 C9 DD 8@187	6	OS (3.83)	9mm	DD	8@187
4054050	BIT HQ3 06 OS 3.830 C9 FD 8@250	6	OS (3.83)	9mm	FD	8@250
4050261	BIT HQ3 06 OS 3.830 C9 TW 6@375	6	OS (3.83)	9mm	TW	6@375
4053913	BIT HQ3 06 OS 3.830 C25 STG3	6	OS (3.83)	25mm		Staged
4052816	BIT HQ3 06 OS 3.895 C9 8@250	6	OS (3.895)	9mm		8@250
4052528	BIT HQ3 06 OS 3.895 C9 EX 8@187	6	OS (3.895)	9mm	EX	8@187
4052610	BIT HQ3 06 OS 3.895 C9 DD 8@250	6	OS (3.895)	9mm	DD	8@250

**BOART LONGYEAR OFFERS COMPLETE CUSTOM DESIGN SERVICES. SEE PAGE 20 FOR DETAILS.**



# HQ<sup>®</sup>3

## HQ<sup>®</sup>3

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4050172	BIT HQ3 06 R C9 8@187	6	R	9mm		8@187
4050309	BIT HQ3 06 R C9 EX 12@100	6	R	9mm	EX	12@100
4053572	BIT HQ3 06 R C12 EX 8@187	6	R	12mm	EX	8@187
4053169	BIT HQ3 06 S C9 8@250	6	S	9mm		8@250
4051794	BIT HQ3 06 S C9 FD 12@125	6	S	9mm	FD	12@125
4052492	BIT HQ3 06 S C9 FD 8@250	6	S	9mm	FD	8@250
4053110	BIT HQ3 06 S C12 9@187	6	S	12mm		9@187
4054044	BIT HQ3 07ABR OS 3.895 C25 STG3	07ABR	OS (3.895)	25mm		Staged
4053875	BIT HQ3 07ABR -R C25 STG3	07ABR	-R	25mm		Staged
4053927	BIT HQ3 07ABR S C9 FD 8@250 FD	07ABR	S	9mm	FD	8@250
4052218	BIT HQ3 07ABR S C12 9@187	07ABR	S	12mm		9@187
4053963	BIT HQ3 07ABR S C12 8@250	07ABR	S	12mm		8@250
4053905	BIT HQ3 07 OS 3.895 C12 8@187	7	OS (3.895)	12mm		8@187
4052490	BIT HQ3 07 R C9 8@187	7	R	9mm		8@187
4053874	BIT HQ3 07 -R C25 STG3	7	-R	25mm		Staged
4052844	BIT HQ3 07 S C9 8@187	7	S	9mm		8@187
4052443	BIT HQ3 07 S C9 DD 8@187	7	S	9mm	DD	8@187
4052896	BIT HQ3 07 S C9 FD 8@250	7	S	9mm	FD	8@250
4053241	BIT HQ3 07 S C12 9@187	7	S	12mm		9@187
4053852	BIT HQ3 07COM -R C25 STG3	07COM	-R	25mm		Staged
4052690	BIT HQ3 07COM S C9 8@187	07COM	S	9mm		8@187
4053535	BIT HQ3 07COM S C12 EX 9@155	07COM	S	12mm	EX	9@155
4052564	BIT HQ3 07COM S C12 DD 8@187	07COM	S	12mm	DD	8@187
4054192	BIT HQ3 08ABR OS 3.895 C12 DD 8@250	08ABR	OS (3.895)	12mm	DD	8@250
4051133	BIT HQ3 08ABR R C9 8@187	08ABR	R	9mm		8@187
4053702	BIT HQ3 08ABR R C9 TW 6@375	08ABR	R	9mm	TW	6@375
4053914	BIT HQ3 08ABR -R C25 STG3	08ABR	-R	25mm		Staged
4052093	BIT HQ3 08ABR S C9 8@187	08ABR	S	9mm		8@187
4052945	BIT HQ3 08ABR S C9 FD 8@250	08ABR	S	9mm	FD	8@250
4053964	BIT HQ3 08ABR S C12 8@250	08ABR	S	12mm		8@250
4054136	BIT HQ3 08 OS 3.830 C12 4@434	8	OS (3.83)	12mm		4@434
4053998	BIT HQ3 08 OS 3.830 C25 STG3	8	OS (3.83)	25mm		Staged
4051453	BIT HQ3 08 OS 3.895 C9 8@250	8	OS (3.895)	9mm		8@250

## HQ<sup>®</sup>3

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4051421	BIT HQ3 08 OS 3.895 C9 DD 8@250	8	OS (3.895)	9mm	DD	8@250
4050258	BIT HQ3 08 OS 3.895 C9 TW 6@375	8	OS (3.895)	9mm	TW	6@375
4052417	BIT HQ3 08 OS 3.895 C9 TW DD 6@375	8	OS (3.895)	9mm	TW/DD	6@375
4050170	BIT HQ3 08 R C9 8@187	8	R	9mm		8@187
4050051	BIT HQ3 08 EX R C9 EX 8@187	8	R	9mm	EX	8@187
4050991	BIT HQ3 08 FD R C9 FD 8@250	8	R	9mm	FD	8@250
4053889	BIT HQ3 08 -R C25 STG3	8	-R	25mm		Staged
4051568	BIT HQ3 08 S C9 FD 12@125	8	S	9mm		12@125
4052427	BIT HQ3 08 S C9 8@187	8	S	9mm		8@187
4052444	BIT HQ3 08 S C9 DD 8@187	8	S	9mm	DD	8@187
4052270	BIT HQ3 08 S C9 EX 12@100	8	S	9mm	EX	12@100
4052336	BIT HQ3 08 S C9 FD 8@250	8	S	9mm	FD	8@250
4050213	BIT HQ3 08COM OS 3.830 C9 8@250	08COM	OS (3.83)	9mm		8@250
4051600	BIT HQ3 08COM S C9 12@125	08COM	S	9mm		12@125
4052428	BIT HQ3 08COM S C9 8@187	08COM	S	9mm		8@187
4052675	BIT HQ3 08COM S C9 FD 8@250	08COM	S	9mm	FD	8@250
4053074	BIT HQ3 09 OS 3.830 C9 8@187	9	OS (3.83)	9mm		8@187
4052642	BIT HQ3 09 R C9 8@187	9	R	9mm		8@187
4053939	BIT HQ3 09 -R C25 STG3	9	-R	25mm		Staged
4052786	BIT HQ3 09 S C9 8@250	9	S	9mm		8@250
4052677	BIT HQ3 09 S C9 FD 12@125	9	S	9mm	FD	12@125
4052676	BIT HQ3 09 S C9 FD 8@250	9	S	9mm	FD	8@250
4053202	BIT HQ3 09 S C12 9@187	9	S	12mm		9@187
4054066	BIT HQ3 09 S C12 8@250	9	S	12mm		8@250
4053643	BIT HQ3 09 S C12 9@155	9	S	12mm	EX	9@155
4052960	BIT HQ3 09COM S C9 EX 9@155	09COM	S	9mm	EX	9@155
4052371	BIT HQ3 09COM S C9 FD 8@250	09COM	S	9mm	FD	8@250
4053243	BIT HQ3 09COM S C12 9@187	09COM	S	12mm		9@187
4053205	BIT HQ3 10 OS 3.830 C9 8@187	10	OS (3.83)	9mm		8@187
4054137	BIT HQ3 10 OS 3.830 C12 4@434	10	OS (3.83)	12mm		4@434
4053981	BIT HQ3 10 OS 3.83 C25 STG3	10	OS (3.83)	25mm		Staged
4050169	BIT HQ3 10 R C9 8@187	10	R	9mm		8@187



# HQ<sup>®</sup>3

## HQ<sup>®</sup>3

ITEM	DESCRIPTION	SERIES	GAUGE	CROWN HEIGHT	WATERWAY OPTION	WATERWAY SIZES
4050437	BIT HQ3 10 R C9 EX 8@187	10	R	9mm	EX	8@187
4052335	BIT HQ3 10 S C9 FD 8@250	10	S	9mm	FD	8@250
4053203	BIT HQ3 10 S C12 9@187	10	S	12mm		9@187
4052870	BIT HQ3 10 S C12 EX 9@155	10	S	12mm	EX	9@155
4051715	BIT HQ3 10COM R C9 12@125	10COM	R	9mm		12@125
4052274	BIT HQ3 10COM R C9 EX 8@187	10COM	R	9mm	EX	8@187
4052709	BIT HQ3 10COM S C9 8@250	10COM	S	9mm		8@250
4052196	BIT HQ3 10COM S C9 FD 8@250	10COM	S	9mm	FD	8@250