

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|---------------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4050084 | BIT NQ 01ABR R C6 7@187 | 01ABR | R | 6mm | | 7@187 |
| 4053324 | BIT NQ 01 S C6 7@187 | 1 | S | 6mm | | 7@187 |
| 4051619 | BIT NQ 01 S C9 TW8@250 | 1 | S | 9mm | TW | 8@250 |
| 4050196 | BIT NQ 02 OS 3.032 C6 7@187 | 2 | OS (3.032) | 6mm | | 7@187 |
| 4053912 | BIT NQ 02 -R C25 STG3 | 2 | -R | 25mm | | Staged |
| 4050085 | BIT NQ 02 R C6 7@187 | 2 | R | 6mm | | 7@187 |
| 4050126 | BIT NQ 02 S C6 7@187 | 2 | S | 6mm | | 7@187 |
| 4051822 | BIT NQ 02 S C6 FD 10@125 | 2 | S | 6mm | FD | 10@125 |
| 4051856 | BIT NQ 02 S C6 DD 8@250 | 2 | S | 6mm | DD | 8@250 |
| 4053762 | BIT NQ 02 S C9 8@155 | 2 | S | 9mm | | 8@155 |
| 4051708 | BIT NQ 02 S C9 8@250 | 2 | S | 9mm | | 8@250 |
| 4053653 | BIT NQ 04 R C9 8@250 | 4 | R | 9mm | | 8@250 |
| 4050135 | BIT NQ 04 S C6 7@187 | 4 | S | 6mm | | 7@187 |
| 4053758 | BIT NQ 04 S C9 8@250 | 4 | S | 9mm | | 8@250 |
| 4053249 | BIT NQ 06ABR OS 3.032 C12 8@155 | 06ABR | OS (3.032) | 12mm | | 8@155 |
| 4053638 | BIT NQ 06ABR OS 3.032 C12 TW DD 8@250 | 06ABR | OS (3.032) | 12mm | TW/DD | 8@250 |
| 4053970 | BIT NQ 06ABR OS 3.032 C25 STG3 | 06ABR | OS (3.032) | 25mm | | Staged |
| 4050090 | BIT NQ 06ABR R C9 8@155 | 06ABR | R | 9mm | | 8@155 |
| 4053862 | BIT NQ 06ABR -R C25 STG3 | 06ABR | -R | 25mm | | Staged |
| 4052627 | BIT NQ 06ABR S C12 8@155 | 06ABR | S | 12mm | | 8@155 |
| 4053232 | BIT NQ 06ABR S C12 8@250 | 06ABR | S | 12mm | | 8@250 |
| 4050197 | BIT NQ 06 OS 3.032 C9 8@155 | 6 | OS (3.032) | 9mm | | 8@155 |
| 4053971 | BIT NQ 06 OS 3.032 C9 8@187 | 6 | OS (3.032) | 9mm | | 8@187 |
| 4050775 | BIT NQ 06 OS 3.032 C9 6@313 | 6 | OS (3.032) | 9mm | | 6@313 |
| 4054003 | BIT NQ 06 -R C25 STG3 | 6 | -R | 25mm | | Staged |
| 4050089 | BIT NQ 06 R C9 8@155 | 6 | R | 9mm | | 8@155 |
| 4050176 | BIT NQ 06 R C9 EX 8@155 | 6 | R | 9mm | EX | 8@155 |
| 4053656 | BIT NQ 06 R C12 8@250 | 6 | R | 12mm | | 8@250 |
| 4050139 | BIT NQ 06 S C9 8@155 | 6 | S | 9mm | | 8@155 |
| 4051712 | BIT NQ 06 S C12 8@250 | 6 | S | 12mm | | 8@250 |
| 4052632 | BIT NQ 06 S C12 8@187 | 6 | S | 12mm | | 8@187 |
| 4054041 | BIT NQ 06 S C12 TW DD 8@250 | 6 | S | 12mm | DD/TW | 8@250 |
| 4053093 | BIT NQ 06 S C12 EX TW 7@250 | 6 | S | 12mm | EX/TW | 7@250 |
| 4054042 | BIT NQ 06 S C12 FD 8@187 | 6 | S | 12mm | FD | 8@187 |

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|---------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4053801 | BIT NQ 07ABR -R C25 STG3 | 07ABR | -R | 25mm | | Staged |
| 4051166 | BIT NQ 07ABR S C9 8@155 | 07ABR | S | 9mm | | 8@155 |
| 4051978 | BIT NQ 07ABR S C12 8@155 | 07ABR | S | 12mm | | 8@155 |
| 4053179 | BIT NQ 07ABR S C12 10@155 | 07ABR | S | 12mm | | 10@155 |
| 4053579 | BIT NQ 07ABR S C12 8@250 | 07ABR | S | 12mm | | 8@250 |
| 4052999 | BIT NQ 07ABR S C12 EX 8@125 | 07ABR | S | 12mm | EX | 8@125 |
| 4053250 | BIT NQ 07 OS 3.032 C12 8@155 | 7 | OS (3.032) | 12mm | | 8@155 |
| 4053860 | BIT NQ 07 OS 3.032 C25 STG3 | 7 | OS (3.032) | 25mm | | Staged |
| 4053908 | BIT NQ 07 R C12 8@155 | 7 | R | 12mm | | 8@155 |
| 4052766 | BIT NQ 07 R C12 EX 8@155 | 7 | R | 12mm | EX | 8@155 |
| 4053833 | BIT NQ 07 -R C25 STG3 | 7 | -R | 25mm | | Staged |
| 4052993 | BIT NQ 07 S C9 FD 6@187 | 7 | S | 9mm | FD | 6@187 |
| 4052998 | BIT NQ 07 S C9 EX TW 7@250 | 7 | S | 9mm | EX/TW | 7@250 |
| 4052688 | BIT NQ 07 S C12 10@125 | 7 | S | 12mm | | 10@125 |
| 4052143 | BIT NQ 07 S C12 8@155 | 7 | S | 12mm | | 8@155 |
| 4052633 | BIT NQ 07 S C12 8@187 | 7 | S | 12mm | | 8@187 |
| 4052241 | BIT NQ 07 S C12 8@250 | 7 | S | 12mm | | 8@250 |
| 4052062 | BIT NQ 07 S C12 EX 8@125 | 7 | S | 12mm | EX | 8@125 |
| 4052756 | BIT NQ 07 S C12 EX 9@094 | 7 | S | 12mm | EX | 9@094 |
| 4053306 | BIT NQ 07 S C12 EX 7@125 | 7 | S | 12mm | EX | 7@125 |
| 4053216 | BIT NQ 07 S C12 TW 8@250 * | 7 | S | 12mm | TW | 8@250 |
| 4053754 | BIT NQ 07COM -R C25 STG3 | 07COM | -R | 25mm | | Staged |
| 4051797 | BIT NQ 07COM S C9 EX 10@094 | 07COM | S | 9mm | EX | 10@94 |
| 4052144 | BIT NQ 07COM S C12 8@155 | 07COM | S | 12mm | | 8@155 |
| 4051403 | BIT NQ 07COM S C12 EX 8@125 | 07COM | S | 12mm | EX | 8@125 |
| 4052200 | BIT NQ 07COM S C12 EX 9@094 | 07COM | S | 12mm | EX | 9@094 |
| 4051743 | BIT NQ 08ABR OS 3.032 C12 8@155 | 08ABR | OS (3.032) | 12mm | | 8@155 |
| 4053969 | BIT NQ 08ABR OS 3.032 C25 STG3 | 08ABR | OS (3.032) | 25mm | | Staged |
| 4050093 | BIT NQ 08ABR R C9 8@155 | 08ABR | R | 9mm | | 8@155 |
| 4053834 | BIT NQ 08ABR -R C25 STG3 | 08ABR | -R | 25mm | | Staged |
| 4052163 | BIT NQ 08ABR S C12 8@155 | 08ABR | S | 12mm | | 8@155 |
| 4051653 | BIT NQ 08ABR S C12 EX 8@125 | 08ABR | S | 12mm | EX | 8@125 |
| 4053972 | BIT NQ 08 OS 3.032 C9 8@187 | 8 | OS (3.032) | 9mm | | 8@187 |
| 4053356 | BIT NQ 08 OS 3.032 C12 8@155 | 8 | OS (3.032) | 12mm | | 8@155 |

NQ[®]**NQ[®]**

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|-----------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4054098 | BIT NQ 08 OS 3.032 C12 EX 8@155 | 8 | OS (3.032) | 12mm | EX | 8@155 |
| 4053947 | BIT NQ 08 OS 3.032 C25 STG3 | 8 | OS (3.032) | 25mm | | Staged |
| 4050333 | BIT NQ 08 R C9 EX 8@155 | 8 | R | 9mm | EX | 8@155 |
| 4054179 | BIT NQ 08 R C12 8@155 | 8 | R | 12mm | | 8@155 |
| 4053847 | BIT NQ 08 -R C25 STG3 | 8 | -R | 25mm | | Staged |
| 4052966 | BIT NQ 08 S C9 EX 8@155 | 8 | S | 9mm | EX | 8@155 |
| 4052297 | BIT NQ 08 S C9 FD 6@187 | 8 | S | 9mm | FD | 6@187 |
| 4052005 | BIT NQ 08 S C9 WD 10@125 | 8 | S | 9mm | WD | 10@125 |
| 4052607 | BIT NQ 08 S C12 10@125 | 8 | S | 12mm | | 10@125 |
| 4051427 | BIT NQ 08 S C12 8@155 | 8 | S | 12mm | | 8@155 |
| 4052748 | BIT NQ 08 S C12 8@187 | 8 | S | 12mm | | 8@187 |
| 4051690 | BIT NQ 08 EC S 8@250 | 8 | S | 12mm | | 8@250 |
| 4051854 | BIT NQ 08 EC S C12 EX 8@125 | 8 | S | 12mm | EX | 8@125 |
| 4053856 | BIT NQ 08COM -R C25 STG3 | 08COM | -R | 25mm | | Staged |
| 4051406 | BIT NQ 08COM S C9 8@155 | 08COM | S | 9mm | | 8@155 |
| 4054019 | BIT NQ 08COM S C9 EX 8@125 | 08COM | S | 9mm | EX | 8@125 |
| 4053537 | BIT NQ 08COM S C12 8@250 | 08COM | S | 12mm | | 8@250 |
| 4052377 | BIT NQ 08COM S C12 9@094 | 08COM | S | 12mm | EX | 9@094 |
| 4052662 | BIT NQ 09 OS 3.032 C9 8@155 | 9 | OS (3.032) | 9mm | | 8@155 |
| 4053973 | BIT NQ 09 OS 3.032 C9 8@187 | 9 | OS (3.032) | 9mm | | 8@187 |
| 4052597 | BIT NQ 09 R C9 8@155 | 9 | R | 9mm | | 8@155 |
| 4053835 | BIT NQ 09 -R C25 STG3 | 9 | -R | 25mm | | |
| 4052942 | BIT NQ 09 S C12 10@125 | 9 | S | 12mm | | 10@125 |
| 4051757 | BIT NQ 09 S C12 8@155 | 9 | S | 12mm | | 8@155 |
| 4051751 | BIT NQ 09 S C12 8@250 | 9 | S | 12mm | | 8@250 |
| 4052941 | BIT NQ 09 S C12 EX 9@094 | 9 | S | 12mm | EX | 9@094 |
| 4051651 | BIT NQ 09 S C12 EX 8@125 | 9 | S | 12mm | EX | 8@125 |
| 4053161 | BIT NQ 09 S C12 EX 8@155 | 9 | S | 12mm | EX | 8@155 |
| 4053099 | BIT NQ 09 S C12 EX TW 7@250 | 9 | S | 12mm | EX/TW | 7@250 |
| 4053251 | BIT NQ 09COM OS 3.032 C9 EX 8@155 | 09COM | OS (3.032) | 9mm | EX | 8@155 |
| 4053861 | BIT NQ 09COM OS 3.032 STG3 | 09COM | OS (3.032) | 25mm | | Staged |
| 4052732 | BIT NQ 09COM R C9 8@155 | 09COM | R | 9mm | | 8@155 |
| 4052733 | BIT NQ 09COM R C9 8@155 | 09COM | R | 9mm | EX | 8@155 |
| 4052768 | BIT NQ 09COM R C12 EX 8@155 | 09COM | R | 12mm | EX | 8@155 |

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|--------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4053825 | BIT NQ 09COM -R C25 STG3 | 09COM | -R | 25mm | | Staged |
| 4052396 | BIT NQ 09COM S C12 8@125 | 09COM | S | 12mm | | 8@125 |
| 4052696 | BIT NQ 09COM S C12 10@125 | 09COM | S | 12mm | | 10@125 |
| 4052053 | BIT NQ 09COM S C12 8@155 | 09COM | S | 12mm | | 8@155 |
| 4053081 | BIT NQ 09COM S C12 8@250 | 09COM | S | 12mm | | 8@250 |
| 4052591 | BIT NQ 09COM S C12 EX 9@094 | 09COM | S | 12mm | EX | 9@094 |
| 4052028 | BIT NQ 09COM S C12 EX 8@125 | 09COM | S | 12mm | EX | 8@125 |
| 4053098 | BIT NQ 09COM S C12 EX TW 7@250 | 09COM | S | 12mm | EX/TW | 7@250 |
| 4050401 | BIT NQ 10 OS 3.032 8@187 | 10 | OS (3.032) | 9mm | | 8@187 |
| 4050095 | BIT NQ 10 R C9 8@155 | 10 | R | 9mm | | 8@155 |
| 4053832 | BIT NQ 10 -R C25 STG3 | 10 | -R | 25mm | | Staged |
| 4052227 | BIT NQ 10 S C12 8@155 | 10 | S | 12mm | | 8@155 |
| 4052356 | BIT NQ 10 S C12 EX 10@094 | 10 | S | 12mm | EX | 10@094 |
| 4053561 | BIT NQ 10 S C12 EX 8@125 | 10 | S | 12mm | EX | 8@125 |
| 4053800 | BIT NQ 10COM -R C25 STG3 | 10COM | -R | 25mm | | Staged |
| 4052342 | BIT NQ 10COM S C9 8@155 | 10COM | S | 9mm | | 8@155 |
| 4052397 | BIT NQ 10COM S C12 8@125 | 10COM | S | 12mm | | 8@125 |
| 4053067 | BIT NQ 10COM S C12 EX 6@125 | 10COM | S | 12mm | EX | 6@125 |
| 4052123 | BIT NQ 10COM S C12 EX 8@125 | 10COM | S | 12mm | EX | 8@125 |
| 4053319 | BIT NQ 10COM S C12 EX 8@155 | 10COM | S | 12mm | EX | 8@155 |

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|-------------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4053700 | BIT NQTK 01ABR R C6 FD 10@155 | 01ABR | R | 6mm | FD | 10@155 |
| 4051621 | BIT NQTK 01 S C12 TW 8@250 | 1 | S | 12mm | TW | 8@250 |
| 4050182 | BIT NQTK 02 R C6 7@187 | 2 | R | 6mm | | 7@187 |
| 4050024 | BIT NQTK 02 R C6 EX 8@155 | 2 | R | 6mm | EX | 8@155 |
| 4051330 | BIT NQTK 02 R C6 FD 10@155 | 2 | R | 6mm | FD | 10@155 |
| 4053822 | BIT NQTK 02 R C9 8@155 | 2 | R | 9mm | | 8@155 |
| 4053982 | BIT NQTK 02 -R C25 STG3 | 2 | -R | 25mm | | Staged |
| 4050127 | BIT NQTK 02 S C6 7@187 | 2 | S | 6mm | | 7@187 |
| 4053016 | BIT NQTK 02 S C9 8@187* | 2 | S | 9mm | | 8@187* |
| 4050243 | BIT NQTK 04 R C6 7@187 | 4 | R | 6mm | | 7@187 |
| 4052888 | BIT NQTK 04 S C6 10@125 | 4 | S | 6mm | | 10@125 |
| 4052422 | BIT NQTK 06ABR S C9 8@155 | 06ABR | S | 9mm | | 8@155 |
| 4050907 | BIT NQTK 06 OS 3.032 C9 TW DD 6@250 | 6 | OS (3.032) | 9mm | TW/DD | 6@250 |
| 4053795 | BIT NQTK 06 OS 3.032 C12 8@155 | 6 | OS (3.032) | 12mm | | 8@155 |
| 4050183 | BIT NQTK 06 R C9 8@155 | 6 | R | 9mm | | 8@155 |
| 4050025 | BIT NQTK 06 R C9 EX 8@155 | 6 | R | 9mm | EX | 8@155 |
| 4053892 | BIT NQTK 06 -R C25 STG3 | 6 | -R | 25mm | | Staged |
| 4053943 | BIT NQTK 06 S C9 FD 8@155 | 6 | S | 9mm | FD | 8@155 |
| 4053018 | BIT NQTK 06 S C12 8@155 | 6 | S | 12mm | | 8@155 |
| 4051433 | BIT NQTK 06 S C12 8@187 | 6 | S | 12mm | | 8@187 |
| 4053845 | BIT NQTK 07ABR -R C25 STG3 | 07ABR | -R | 25mm | | Staged |
| 4052555 | BIT NQTK 07ABR S C12 8@155 | 07ABR | S | 12mm | | 8@155 |
| 4053064 | BIT NQTK 07ABR S C12 TW 10@250 | 07ABR | S | 12mm | TW | 10@250 |
| 4052812 | BIT NQTK 07 OS 3.032 C12 8@155 | 7 | OS (3.032) | 12mm | | 8@155 |
| 4053143 | BIT NQTK 07 R C9 8@155 | 7 | R | 9mm | | 8@155 |
| 4053990 | BIT NQTK 07 -R C25 STG3 | 7 | -R | 25mm | | Staged |
| 4053167 | BIT NQTK 07 S C9 8@155 | 7 | S | 9mm | | 8@155 |
| 4053944 | BIT NQTK 07 S C9 FD 8@155 | 7 | S | 9mm | FD | 8@155 |
| 4053029 | BIT NQTK 07 S C12 8@187 | 7 | S | 12mm | | 8@187 |
| 4052759 | BIT NQTK 07 S C12 EX 8@155 | 7 | S | 12mm | EX | 8@155 |
| 4053837 | BIT NQTK 07COM -R C25 STG3 | 07COM | -R | 25mm | | Staged |
| 4051569 | BIT NQTK 07COM S C9 10@125 | 07COM | S | 9mm | | 10@125 |
| 4053156 | BIT NQTK 07COM S C12 8@155 | 07COM | S | 12mm | | 8@155 |
| 4053575 | BIT NQTK 07COM S C12 8@187 | 07COM | S | 12mm | | 8@187 |
| 4053840 | BIT NQTK 08ABR -R C25 STG3 | 08ABR | -R | 25mm | | Staged |

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|-------------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4051432 | BIT NQTK 08ABR S C12 8@155 | 08ABR | S | 12mm | | 8@155 |
| 4052813 | BIT NQTK 08 OS 3.032 C12 8@155 | 8 | OS (3.032) | 12mm | | 8@155 |
| 4050181 | BIT NQTK 08 R C9 8@155 | 8 | R | 9mm | | 8@155 |
| 4050026 | BIT NQTK 08 R C9 EX 8@155 | 8 | R | 9mm | EX | 8@155 |
| 4054017 | BIT NQTK 08 -R C25 STG3 | 8 | -R | 25mm | | Staged |
| 4051037 | BIT NQTK 08 S C9 EX 8@155 | 8 | S | 9mm | EX | 8@155 |
| 4053028 | BIT NQTK 08 S C12 8@155 | 8 | S | 12mm | | 8@155 |
| 4051401 | BIT NQTK 08 S C12 EX 8@125 | 8 | S | 12mm | EX | 8@125 |
| 4050013 | BIT NQTK 08COM OS 3.032 C9 TW 8@125 | 08COM | OS (3.032) | 9mm | TW | 8@125 |
| 4050331 | BIT NQTK 08COM R C9 8@155 | 08COM | R | 9mm | | 8@155 |
| 4054037 | BIT NQTK 08COM -R C25 STG3 | 08COM | -R | 25mm | | Staged |
| 4051267 | BIT NQTK 08COM S C9 8@155 | 08COM | S | 9mm | | 8@155 |
| 4052499 | BIT NQTK 08COM S C9 8@187 | 08COM | S | 9mm | | 8@187 |
| 4053814 | BIT NQTK 09 R C12 8@155 | 9 | R | 12mm | EX | 8@155 |
| 4053846 | BIT NQTK 09 -R C25 STG3 | 9 | -R | 25mm | | Staged |
| 4051820 | BIT NQTK 09 S C12 8@155 | 9 | S | 12mm | | 8@155 |
| 4052647 | BIT NQTK 09 S C12 8@250 | 9 | S | 12mm | | 8@250 |
| 4052294 | BIT NQTK 09 S C12 EX 8@155 | 9 | S | 12mm | EX | 8@155 |
| 4054088 | BIT NQTK 09 S C12 EX 10@125 | 9 | S | 12mm | EX | 10@125 |
| 4054181 | BIT NQTK 09COM -R C16 STG2 | 09COM | -R | 16mm | | Staged |
| 4053893 | BIT NQTK 09COM -R C25 STG3 | 09COM | -R | 25mm | | Staged |
| 4052118 | BIT NQTK 09COM S C12 8@155 | 09COM | S | 12mm | | 8@155 |
| 4052382 | BIT NQTK 09COM S C12 8@187 | 09COM | S | 12mm | | 8@187 |
| 4052192 | BIT NQTK 09COM S C12 EX 10@094 | 09COM | S | 12mm | EX | 10@094 |
| 4052305 | BIT NQTK 10 OS 3.032 C9 8@155 | 10 | OS (3.032) | 9mm | | 8@155 |
| 4050180 | BIT NQTK 10 R C9 8@155 | 10 | R | 9mm | | 8@155 |
| 4050027 | BIT NQTK 10 R C9 EX 8@155 | 10 | R | 9mm | EX | 8@155 |
| 4053995 | BIT NQTK 10 -R C25 STG3 | 10 | -R | 25mm | | Staged |
| 4050123 | BIT NQTK 10 S C9 8@155 | 10 | S | 9mm | | 8@155 |
| 4052069 | BIT NQTK 10 S C9 10@125 | 10 | S | 9mm | | 10@125 |
| 4051795 | BIT NQTK 10 S C9 EX 10@094 | 10 | S | 9mm | EX | 10@094 |
| 4053138 | BIT NQTK 10 S C12 8@187 | 10 | S | 12mm | | 8@187 |
| 4054089 | BIT NQTK 10 S C12 EX 10@125 | 10 | S | 12mm | EX | 10@125 |
| 4053327 | BIT NQTK 10COM R C12 EX 8@155 | 10COM | R | 12mm | EX | 8@155 |

NQ[®]TK

NQ[®]TK

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|--------------------------------|--------|-------|--------------|-----------------|----------------|
| 4052040 | BIT NQTK 10COM R C12 10@155 | 10COM | R | 12mm | | 10@155 |
| 4053894 | BIT NQTK 10COM -R C25 STG3 | 10COM | -R | 25mm | | Staged |
| 4052496 | BIT NQTK 10COM S C9 8@187 | 10COM | S | 9mm | | 8@187 |
| 4053019 | BIT NQTK 10COM S C12 8@155 | 10COM | S | 12mm | | 8@155 |

NQ[®]3

NQ[®]3

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|-------------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4050651 | BIT NQ3 01 R C6 TW 5@188 | 1 | R | 6mm | TW | 5@188 |
| 4053487 | BIT NQ3 01 S C6 8@155 | 1 | S | 6mm | | 8@155 |
| 4052900 | BIT NQ3 02 OS 3.032 C6 6@250 | 2 | OS (3.032) | 6mm | | 6@250 |
| 4050178 | BIT NQ3 02 R C6 7@187 | 2 | R | 6mm | | 7@187 |
| 4051635 | BIT NQ3 02 S C6 FD 6@250 | 2 | S | 6mm | FD | 6@250 |
| 4052217 | BIT NQ3 02 S C9 8@155 | 2 | S | 9mm | | 8@155 |
| 4051386 | BIT NQ3 04 R C6 7@187 | 4 | R | 6mm | | 7@187 |
| 4051929 | BIT NQ3 04 S C6 FD 10@125 | 4 | S | 6mm | FD | 10@125 |
| 4052340 | BIT NQ3 04 S C6 DD 6@250 | 4 | S | 6mm | DD | 6@250 |
| 4053646 | BIT NQ3 04 S C9 8@187 | 4 | S | 9mm | | 8@187 |
| 4052815 | BIT NQ3 06 OS 3.032 C9 6@250 | 6 | OS (3.032) | 9mm | | 6@250 |
| 4054184 | BIT NQ3 06 OS 3.032 C25 STG3 | 6 | OS (3.032) | 25mm | | Staged |
| 4050336 | BIT NQ3 06 R C9 8@155 | 6 | R | 9mm | | 8@155 |
| 4053684 | BIT NQ3 06 R C12 EX 8@155 | 6 | R | 12mm | EX | 8@155 |
| 4051642 | BIT NQ3 06 S C9 10@125 | 6 | S | 9mm | | 10@125 |
| 4050143 | BIT NQ3 06 S C9 8@155 | 6 | S | 9mm | | 8@155 |
| 4052773 | BIT NQ3 06 S C9 FD 6@250 | 6 | S | 9mm | FD | 6@250 |
| 4053784 | BIT NQ3 06 S C12 8@250 | 6 | S | 12mm | | 8@250 |
| 4053637 | BIT NQ3 06ABR OS 3.032 C12 DD 6@250 | 06ABR | OS (3.032) | 12mm | DD | 6@250 |
| 4051684 | BIT NQ3 06ABR R C9 TW 8@250 | 06ABR | R | 9mm | TW | 8@250 |
| 4053956 | BIT NQ3 06ABR -R C25 STG3 | 06ABR | -R | 25mm | | Staged |
| 4053020 | BIT NQ3 06ABR S C12 8@155 | 06ABR | S | 12mm | | 8@155 |
| 4053644 | BIT NQ3 07ABR OS 3.032 C12 8@155 | 07ABR | OS (3.032) | 12mm | | 8@155 |
| 4053641 | BIT NQ3 07ABR R C9 8@155 | 07ABR | R | 9mm | | 8@155 |
| 4053955 | BIT NQ3 07ABR -R C25 STG3 | 07ABR | -R | 25mm | | Staged |
| 4053483 | BIT NQ3 07ABR S C9 8@250 | 07ABR | S | 9mm | | 8@250 |
| 4053510 | BIT NQ3 07ABR S C9 FD 6@250 | 07ABR | S | 9mm | FD | 6@250 |
| 4052216 | BIT NQ3 07ABR S C12 8@155 | 07ABR | S | 12mm | | 8@155 |
| 4053163 | BIT NQ3 07ABR S C12 8@187 | 07ABR | S | 12mm | | 8@187 |
| 4054139 | BIT NQ3 07 S C9 FD 6@250 | 7 | S | 9mm | FD | 6@250 |
| 4053027 | BIT NQ3 07 S C12 8@155 | 7 | S | 12mm | | 8@155 |
| 4053076 | BIT NQ3 07 S C12 DD 10@125 | 7 | S | 12mm | DD | 10@125 |
| 4052550 | BIT NQ3 07COM S C12 EX 8@125 | 07COM | S | 12mm | EX | 8@125 |

BOART LONGYEAR OFFERS COMPLETE CUSTOM DESIGN SERVICES. SEE PAGE 20 FOR DETAILS.

NQ[®]3

NQ[®]3

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|---------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4054045 | BIT NQ3 08ABR OS 3.032 C25 STG3 | 08ABR | OS (3.032) | 25mm | | Staged |
| 4053954 | BIT NQ3 08ABR -R C25 STG3 | 08ABR | -R | 25mm | | Staged |
| 4053488 | BIT NQ3 08ABR S C9 8@250 | 08ABR | S | 9mm | | 8@250 |
| 4053959 | BIT NQ3 08ABR S C128@155 | 08ABR | S | 12mm | | 8@155 |
| 4053298 | BIT NQ3 08ABR S C12 8@187 | 08ABR | S | 12mm | | 8@187 |
| 4050714 | BIT NQ3 08 OS 3.032 C9 8@155 | 8 | OS (3.032) | 9mm | | 8@155 |
| 4052814 | BIT NQ3 08 OS 3.032 C9 6@250 | 8 | OS (3.032) | 9mm | | 6@250 |
| 4052899 | BIT NQ3 08 OS 3.032 C9 EX 8@125 | 8 | OS (3.032) | 9mm | EX | 8@125 |
| 4050335 | BIT NQ3 08 R C9 8@155 | 8 | R | 9mm | | 8@155 |
| 4051515 | BIT NQ3 08 R C9 FD 6@250 | 8 | R | 9mm | FD | 6@250 |
| 4053980 | BIT NQ3 08 -R C25 STG3 | 8 | -R | 25mm | | Staged |
| 4051814 | BIT NQ3 08 S C9 10@125 | 8 | S | 9mm | | 10@125 |
| 4052367 | BIT NQ3 08 S C9 8@250 | 8 | S | 9mm | | 8@250 |
| 4052237 | BIT NQ3 08 S C9 FD 6@250 | 8 | S | 9mm | FD | 6@250 |
| 4051784 | BIT NQ3 08COM S C9 DD 8@155 | 08COM | S | 9mm | DD | 8@155 |
| 4053640 | BIT NQ3 09 OS 3.032 C9 8@155 | 9 | OS (3.032) | 9mm | | 8@155 |
| 4052252 | BIT NQ3 09 R C9 EX 8@155 | 9 | R | 9mm | EX | 8@155 |
| 4053960 | BIT NQ3 09 S C12 8@155 | 9 | S | 12mm | | 8@155 |
| 4053674 | BIT NQ3 09 S C12 8@250 | 9 | S | 12mm | | 8@250 |
| 4053178 | BIT NQ3 09 S C12 8@125 | 9 | S | 12mm | EX | 8@125 |
| 4052370 | BIT NQ3 09COM S C9 FD 6@250 | 09COM | S | 9mm | FD | 6@250 |
| 4053244 | BIT NQ3 09COM S C12 8@155 | 09COM | S | 12mm | | 8@155 |
| 4051025 | BIT NQ3 10 OS 3.032 C9 TW 6@250 | 10 | OS (3.032) | 9mm | TW | 6@250 |
| 4051270 | BIT NQ3 10 R C9 8@155 | 10 | R | 9mm | | 8@155 |
| 4051271 | BIT NQ3 10 R C9 EX 8@155 | 10 | R | 9mm | EX | 8@155 |
| 4050962 | BIT NQ3 10 S C9 8@155 | 10 | S | 9mm | | 8@155 |
| 4051754 | BIT NQ3 10 S C9 DD 8@155 | 10 | S | 9mm | DD | 8@155 |
| 4052878 | BIT NQ3 10 S C9 EX 8@125 | 10 | S | 9mm | EX | 8@125 |
| 4052494 | BIT NQ3 10COM S C9 FD 6@250 | 10COM | S | 9mm | FD | 6@250 |
| 4052877 | BIT NQ3 10COM S C12 EX 8@125 | 10COM | S | 12mm | EX | 8@125 |

NQ[®]TT

NQ[®]TT

| ITEM | DESCRIPTION | SERIES | GAUGE | CROWN HEIGHT | WATERWAY OPTION | WATERWAY SIZES |
|---------|----------------------------------|--------|---------------|--------------|-----------------|----------------|
| 4052519 | BIT NQTT 02 R C6 FD 6@250 | 2 | R | 6mm | FD | 6@250 |
| 4051391 | BIT NQTT 06 OS 3.032 C9 FD 6@250 | 6 | OS (3.032) | 9mm | FD | 6@250 |
| 4050568 | BIT NQTT 06 R C9 FD 6@250 | 6 | R | 9mm | FD | 6@250 |
| 4051451 | BIT NQTT 06 S C9 FD 6@250 | 6 | S | 9mm | FD | 6@250 |
| 4051216 | BIT NQTT 08ABR S C9 FD 6@250 | 08ABR | S | 9mm | FD | 6@250 |
| 4053552 | BIT NQTT 08 S C9 FD 6@250 | 8 | S | 9mm | FD | 6@250 |
| 4053525 | BIT NQTT 09 S C9 FD 6@250 | 9 | S | 9mm | FD | 6@250 |